

Overview

This job aid will assist users in opening a private session in Edge, Chrome, and Firefox. Opening a private session will help the team identify if an issue in Core-CT is related to cache.

Edge

In Edge, click the three dots icon on the top right of the screen. Select "New InPrivate Window".



An InPrivate session will be displayed. Navigate to Core-CT to log in.

InPrivate InPrivate tab	× +				0	
← C (Q		٢		ć= 🛈	%	
	InPrivate	e browsing				
	InPrivate search with Microsoft Bing					
✓ What InPrivate browsi Deletes your browsing info wh Saves collections, favorites, and Prevents Microsoft Bing search	ng does en you close all InPrivate windows I downloads (but not download history) es from being associated with you	What InPrivate browsing doesn't do Hide your browsing from your school, employer, or internet service Give you additional protection from tracking by default Add additional protection to what's available in normal browsing				
Always use "Strict" tracking prevention when browsing InPrivate If this is off, we'll use the same tracking prevention setting as a normal browsing window						
↓ More details						



Chrome

In Chrome, click the three dots icon on the top right of the screen. Select "New Incognito Window".



An Incognito session will be displayed. Navigate to Core-CT to log in.





Firefox

In Firefox, click the three line icon on the top right of the screen. Select "New Private Window".



A private session will be displayed. Navigate to Core-CT to log in.

